SPRING 2025

Common Name Scientific Name	Bloom Period	Flowers	Height	Light	Soil/Moisture	Notes	Wildlife Benefits
PERENNIALS							
Achillea millefolium Yarrow	Jun-Sep	Flat-topped clusters of whitish flowers grow at the top of the stem.	1'-3'	Sun-Part Shade	Dry	Deer Resistant, Drought Resistant. Resistant to heat, dry soil, salt and rabbits. Used for medicinal purposes by native americans.	Bees, Butterflies, Pollinators
Achillea millefolium 'Paprika' Yarrow 'Paprika'	Jun-Sep	Cinnamon-red flowers in late summer.	2-3'	Full Sun	Dry-Average	Deer and rabbit Resistant. Drought Tolerant once established	Butterflies Pollinators
Acorus americanus Sweet Flag	Jun-Jul	White-yellow spade-like flower that is followed by dark berries	2-3'	Full-Part Sun	Wet	A vigorous spreader in wet soils that world well for retaining soil at the edge of a stream or pond.	Deer Resistant
Allium cernuum Nodding Onion	Jul-Sep	3" domed clusters of pale pink, nodding flowers on long stalks.	1' - 2'	Sun-Part Shade	Average/ Wet-Dry	Leaves have an onion scent when crushed. Dainty flowers are showy in mass.	Hummingbird, butterflies
Aristolochia serpentaria Virginia Snakeroot	Apr-Jun	Yellow, purple pipe-shaped flowers	1'-3'	Sun	Avg/Dry	Showy groundcover. Host for pipevine swallowtail butterflies. Toxic to grazing animals when consumed (goats, sheep, etc.)	Butterflies
Aquilegia canadensis Wild Columbine	Apr-Jun	Profuse red & yellow dangling flowers.	1' - 3'	Sun- Shade	Average, Well drained/ Moist-Dry	Short lived but self-seeds. Drought tolerant. Dead head for second bloom. Deer resistant.	Hummingbirds
Arisaema triphyllum Jack-in-the-Pulpit	Apr-Jun, fruit Aug-Sep	3" flowers: whitish finger-like "Jack" inside a leaf-like spathe ("pulpit"). Light green, w/purple striping.	1' - 3'	Part Shade-Sh ade	Rich-Average, Organic / Wet-Moist	Fruit cluster of bright red berries. May need more than 1 plant for berries & may take several years to begin fruiting. Toxic if ingested.	Birds, Mammals
Asclepias incarnata Swamp Milkweed	Jul-Sep	Flat-topped clusters of rose-pink flowers.	2' - 4'	Sun-Part Shade	Average, Well-drained/ Wet-Moist	Use to naturalize wet areas. Very showy flowers. Orange aphids are common pests; can be dislodged w/water spray.	Butterflies, Monarch host
Asclepias syriaca Common Milkweed	Jun-Aug	Large round clusters of fragrant dusky brownish-purple flowers.	2' - 4'	Sun	Average/ Dry Medium, well drained	Will tolerate heavy clay soil. Spreads by under-ground runners. Decorative dried pods. Deer resistant.	Butterflies, Monarch host
Asclepias verticillata Whorled Milkweed	Jun-Sep	Clusters of white flowers atop stems of slender grassy foliage.	1' - 3'	Sun-Part Shade	Average-Poor, orangeWell-draine d/ Dry	Drought tolerant, delicate foliage, does not grow too tall. Deer resistant.	Butterflies, Monarch host
Asclepias tuberosa Butterflyweed	Jun-Sep	Flat-topped clusters of bright orange flowers.	1' - 3'	Sun-Part Shade	Average-Poor, Well drained/ Dry Medium	Drought tolerant. Doesn't transplant well. Comes up late & dies back early, esp. when young - mark location so you don't disturb or lose it. Deer resistant.	Butterflies, Monarch host

Baptisia alba White False Indigo	Apr-May	Tall spikes of cream pea-type blossoms on charcoal stems (resemble lupines).	3' - 4'	Sun-Part Shade	Average-Poor, Well drained/ Medium Dry	Drought tolerant. Plant it where it has room to grow - can not be moved once established. Deer and rabbit resistant.	Bumblebees, Butterfly host
Baptisia australis Blue False Indigo	Apr-May	Tall spikes of blue-purple pea-type blossoms (resemble lupines).	3' - 4'	Sun-Part Shade	Average-Poor, Well drained/ Dry	Drought tolerant. Plant it where it has room to grow - can not be moved once established. Deer and rabbit resistant.	Bumblebees, Butterfly host
Baptisia sphaerocarpa Wild Yellow Indigo	Apr-Jun	Small, yellow, pea-like blossoms.	2'-3'	Sun - Part Shade	Rich, well drained soils.	Drought tolerant.	Butterflies
Boltonia asteroides False Aster	Aug-Oct	Dense panicles of ¾" white daisy-like bloom.	3'-5'	Sun-Part Shade	Moist	Deer Resistant. Spreads through creeping rhizomes and seeds. Can be affected by powdery mildew and may require staking	Butterflies, Birds
Caltha palustris Marsh Marigold	Apr-Jun	Large yellow flowers in early spring	1'-2'	Sun-Part Shade	Moist	Can tolerate standing water. Plant along riverbanks.	Deer resistant, Pollinators
Callirhoe involucrata Winecups	Jun-Aug	3" magenta poppies with white centers.	6"	Sun	Average, Well drained/ Dry	Mat-forming. Taproot makes it drought tolerant but hard to transplant. Good in borders, rock gardens, & meadows.	Bees
Chelone glabra White Turtlehead	Aug-Oct	Large, tubular white flowers resemble turtle heads.	2' - 3'	Part Shade Shade	Average, Humusy, Well-drained/ Wet Moist	Usually found in moist areas along streams with ferns & cardinal flower. Pinch stem buds in spring for bushier plants.	Butterfly host plant
Chelone Iyonii 'Hot Lips' Pink turtlehead	Aug-Oct	Large, tubular pink flowers resemble turtle heads. Bears a brown/copper, green fruit.	2'-3'	Sun-Part Shade	Rich-Average, Loam/ Wet-Medium	Great addition to bog gardens. Deer resistant,	Butterfly host plant
Conoclinium coelestinum Blue Mistflower	Jul-Oct	Flat clusters of pale blue-purple flowers top leafy stems.	1' - 3'	Sun-Part Shade	Average, Well drained/ Wet	Flowers resemble the annual Ageratum. Spreads freely – looks good in large masses.	Bees, butterflies
Coreopsis lanceolata Lance-Leaf Coreopsis	May-Jun	2" yellow-orange daisies with yellow centers and shallow-lobed petals	1'-3'	Sun-Part Shade	Average, Well-Drained/ Medium	Divide every few years & discard older woody portions. Deer resistant	Butterflies, Goldfinches
Coreopsis tripteris Tall Tickseed	May-Sep	2" Yellow-orange daisies with dark centers and shallow-lobed petals.	3' - 10'	Sun-Part Shade	Average-Poor/ Dry-Moist	Flower has anise scent. Rarely needs staking. Deer resistant.	Butterflies, Birds

Coreopsis verticillata Threadleaf Coreopsis	Jun-Oct	Profuse 1" sulfur yellow daisies.	1.5'- 2'	Sun	Average-Poor, Sandy, Well drained/ Dry-Med	Deer resistant. Vigorous bloomer that keeps going until the first frost. Makes excellent cut flowers.	Butterflies
Dicentra eximia Wild Bleeding Heart	Apr-Sep	Blush pink, drooping heart-shaped flowers strung along leafless stem	1.5'-2'	Part Shade-S hade	Average/Dry-Moist	Showy, unusual addition to garden beds; great for naturalizing wooded areas. Deer resistant	Songbirds, Beneficial insects

Doellingeria umbellata Flat Topped Aster	Jul-Sep	A rigid, upright stem bearing a flat topped cluster of flower heads with white petals.	5'	Full-Part Sun	Medium/Wet	USDA Zone 3-8. Great for early pollinators. Aggressive	Bumblebees, butterflies
Echinacea paradoxa Yellow Coneflower	Jun-Aug	Large yellow flowers with domed brown centers.	3'	Sun-Part Shade	Average, Well drained/ Medium	Deer resistant. (Nearly Native).	Bees, Butterflies, Songbirds
Echinacea purpurea Purple Coneflower	Jun-Sep	Large pink/purple daisy-flower with domed orange center.	2' - 3'	Sun-Part Shade	Average, Alkaline, Well-drained/ Medium	Prefers basic soil, add lime if soil is acidic. Deer resistant.	Butterflies, Goldfinches
Echinacea tennesseensis Tennessee Coneflower	Jun-Aug	Slightly upturned purple petals around a coppery-orange cone.	1'- 2'	Sun-Part Shade	Average, Well-drained/ Moist-Dry	Like purple coneflower but slightly smaller with upturned petals and a less vigorous habit. Deer resistant. RARE.	Birds, butterflies
Erigeron pulchellus Robin's Plantain	Apr-Jun	Very thin pink/purple/lavender petals around a flat, yellow central disc. Flowers appear in clusters of 2-6 blooms.	1'	Sun-Part Shade	Well-Drained/ Moist	Deer Resistant. Makes a good ground cover.	Butterflies Bees Songbirds
Eryngium yuccifolium Rattlesnake Master	Jun-Aug	Silvery white spiky spheres of small flowers.	2' - 3'	Sun	Average-Poor, Well drained/ Moist-Dry	Drought tolerant. Spiky yucca-like basal leaves add interest to the garden even when not in bloom. Host plant for black swallowtail butterflies.	Bees, Butterflies
Eupatorium fistulosum Hollow Joe Pye Weed	Jul-Sep	Large, domed clusters of white-light purple flower heads	6'	Sun-Part Shade	Rich/Medium-Wet	Tolerates temporary standing water. Deer resistant.	Bees, Moths
Eupatorium hyssopifolium Thin-leaved Boneset	Jun-Oct	White tubular disc flowers and no rays in a dense, flat-topped cluster. Can be 5-10 inches across.	1'-3'	Sun-Part Shade	Moist	Drought tolerant. Deer and rabbit resistant. Salt tolerant. Can survive urban conditions	Bees Butterflies Pollinators Songbirds
Eupatorium perfoliatum Boneset	Jun-Oct	Tiny white flowers in fuzzy clusters.	3' - 6'	Sun - Part Shade	Average/ Dry	Dried leaves used to make tonic (boneset tea).	Birds,Butterflies
Eurybia macrophylla Big Leaf Aster	Jul-Oct	White/Purple flowers	1'-3'	Sun-Sha de	Average/Dry-Moist	Great as a groundcover. Host to pearl crescent butterfly.	Butterflies
Eutrochium maculatum Joe Pye Weed	July-Aug	Many, small, rose colored flowers	6'	Sun	Average	Great pollinator plant, long bloom time, tall but sturdy so no staking needed	Pollinators, Birds, Deer resistant
Gaura lindheimeri 'Siskiyou Pink' Gaura 'Siskiyou Pink'	May-Sep	4-petaled, rose pink, butterfly-like flowers that emerge from deep maroon buds. Flowers are open panicles	1' -2'	Sun	Sandy/loamy, Well-drained	Deer Resistant, rabbit resistant, drought tolerant.	Pollinators
Geranium maculatum Wild Geranium	Apr-May	2" pale pink to lilac, five-petalled flowers.	1' - 2'	Sun-Part Shade	Rich-poor, Well-drained/ moist	Great for woodland gardens. Prefers rich soil, but will take poor soil.	Butterflies

Gillenia trifoliata Bowman's Root	May-Jul	Profuse smattering of 1"-2" strappy, white stars.	2' - 3'	Sun-Part Shade	Rich-Average, Well-drained/ Moist-Dry	Drought tolerant and deer resistant. AKA American Ipecac- Ingestion will induce vomiting.	
Helenium autumnale Helen's Flower	Jul-Nov	Golden-yellow petals hang skirt-like around a spherical yellow center.	2' - 6'	Sun-Part Shade	Average-Poor/ Moist Wet	Self sows. Also called sneezeweed for early medicinal use as snuff. Does NOT cause allergies.	Bees, Butterflies
Helianthus angustifolius Swamp Sunflower	Sep-Nov	Prolific 3" golden daisies with yellow or dark red centers.	4' - 6'	Sun	Average, Well drained/ Wet	Once established a single plant can produce dozens of flowers - making for a stunning show in late fall.	Butterflies, Songbirds
Helianthus divaricatus Woodland Sunflower	Jul-Sep	2" butter-yellow sunflowers with yellow centers	1.5'-5'	Part Shade	Dry-Moist	Colony-forming over time. Divide every 3-4 years to maintain vigor and control spread. Makes great cut flowers	Butterflies, Songbirds
Helianthus pauciflorus Showy Sunflower	Jul-Sept	Bright yellow blooms	5'	Sun	Average	Showy yellow blooms that can last for 2 months	Pollinators
Heuchera americana Alumroot	Apr-May	Small pale-green flowers on tall spikes above foliage.	6" - 12"	Part Shade-Sha de	Rich, Well drained/ Moist	Semi-evergreen groundcover – burgundy & silver markings on winter foliage. Deer resistant.	
Heuchera americana 'Dale's Strain' Dale's Strain American Alumroot	May-Jun	1/8 " pinkish white bell-shaped flowers atop long, delicate panicles.	1'-2'	Shade- Part Shade	Moist	Semi-Evergreen. Drought Tolerant, Divide clumps every 3-4 years. Makes good ground cover. Leaves emerge chartreuse with olive-green markings and mature to silvery-green with spruce-green veins.	Pollinators Hummingbirds
Heuchera villosa Maple-Leaved Alumroot	Jun-Oct	Small flowers with white or pink petals.	1' - 3'	Part Shade Shade	Rich/ Dry-Moist	Can grow in full sun if kept moist. Dead-head for continued blooms. Good for groundcover. Deer resistant.	Bees, butterflies
Hibiscus moscheutos Rose Mallow	Jul-Sep	6" flowers with flaring white or pink petals, maroon throat, & bright yellow stamens.	4' - 6'	Sun	Rich-Average, Well drained/ Wet	Tolerates brackish water. Likes to be fertilized and kept moist. Breaks dormancy relatively late in the growing season. Deer resistant.	Hummingbirds
Iris cristata Dwarf Crested Iris	Apr-may	Pale purple & white iris flowers on 6" stalks	4"-6"	Sun-Part Shade	Average-Poor, Well drained/Moist-Dry	Spreads to form a colony/groundcover. May be divided after several years	Butterflies, Hummingbirds
Iris fulva Copper Iris	May-Jun	3" deep copper irises with no beard or crest.	1' - 2'	Sun-Part Shade	Average-Poor/ Moist Wet	Plant in a wet site or in a pot submerged in a garden pool. Will naturalize.(Nearly Native).	Hummingbirds
Iris virginica VA Blue Flag Iris	May-Jun	3" blue/purple irises with narrow petals.	2' - 3'	Sun	Average/ Wet	Plant in wet site or in a pot submerged in a garden pool. Deer Resistant	Birds
Liatris spicata Blazing Star	Jul-Sep	Tall densely flowered spikes of bright purple flowers with feathery stamens.	3' - 5'	Sun-Part Shade	Average/ Dry-Moist	Needs more moisture than other blazingstars. Water in drought periods. Good for clay soils.	Birds, Butterflies Hummingbirds
Lilium superbum Turk's Cap Lily	Jul-Aug	Nodding, 3" orange-red flowers with deeply recurved petals, resembling a Turkish hat.	3' - 8'	Sun-Part Shade	Average, acidic, Well-drained/ Moist-Wet	America's tallest lily. Slowly spreads to form colonies if soil is kept moist. Do not let soil dry out for prolonged periods.	Butterflies, hummingbirds

Lobelia cardinalis Cardinal Flower	Jul-Sep	Tall spikes of bright scarlet tubular flowers.	2' - 5'	Sun-Part Shade	Average, Well drained/ Wet	Bottom leaves need winter sunlight - do not cover with mulch. Reseeds on wet ground.	Hummingbirds Moths, Bees
Lobelia siphilitica Blue Lobelia	Jul-Sep	Spikes of blue tubular flowers.	2' - 4'	Sun-Part Shade	Average, Well drained/ Medium Wet	Bottom leaves need winter sunlight - do not cover with mulch. Reseeds readily on wet ground.	Hummingbirds Butterflies
Ludwigia alternifolia Seedbox	Jun-Aug	0.5" butter-yellow flowers.	2' - 3'	Sun	Average, Sandy/ Moist-Wet	Box-like seed pods rattle when shaken, giving the alternate name, rattlebox. These seed pods are great for dried arrangements.	Bees
Manfreda virginica False Aloe	Jun-Oct	5' spike of small, fragrant greenish flowers top a 1' rosette of fleshy leaves.	1'-5'	Sun-Part Shade	Average, Dry-Medium	Semi-evergreen. Flowers are fragrant.Great in rock gardens or dry slopes. Prefers dry, part shade.	Hummingbirds, Sphinx Moth
Monarda didyma Bee Balm	Jun-Aug	3" heads of tubular, scarlet flowers.	2' - 4'	Sun-Part Shade	Average,Well drained/ Wet	Minty foliage. Spreads outward - divide every few years discarding old stems. Leaves traditionally used to make tea.	Butterflies, Hummingbirds,
Monarda didyma "Jacob Cline" Jacob Cline Bee Balm	Jun-Aug	Large, red, tubular flowers	3-5'	Sun-Part Shade	Average to wet, tolerates salt	Mildew resistant, makes a great cut flower and is loved by pollinators, especially hummingbirds and butterflies. Deer resistant	Butterflies, hummingbirds, pollinators
Denothera fruticosa Narrow-leaf Sundrops	Apr-Jun	4-petalled bright yellow-gold flowers that are up to 2" across.	1'-2'	Sun-Part Shade	Average, Well-Drained/ Medium-Dry	Leaves often spotted with red. Basal leaves remain green through winter. Moderately deer resistant	Hummingbirds, pollinators
Oenothera pilosella Prairie Sundrops	Jun-Jul	Profuse clusters of 2" sunny yellow flowers .	1' - 2'	Sun	Average-Poor/ Medium-Wet	Good groundcover, spreads to form mat.	Butterflies, Pollinators
Packera aurea Golden Ragwort	Mar-May	3"- 5" flat-topped clusters of profuse bright yellow flowers followed by downy, white seed-heads.	6" - 12"	Sun-Shade	Average/ Medium Wet	Hardy; semi-evergreen; will naturalize and works well around ponds or streams. Good groundcover under trees or in swampy areas. Drought tolerant. Deadhead to prevent spread.	Butterflies
Penstemon calycosus Calico Beardtongue	May-Jul	Spikes of pink-purple snapdragon-like flowers	2'-5'	Sun-Part Shade	Average, Well-drained/ Average-Dry	Good for naturalizing dry woods, rocky slopes	Butterflies, Hummingbirds
^D enstemon laevigatus E astern Smooth Beardtongue	May-Jul	Large tubular, pale purple to almost white snapdragon-like flowers .	1' - 3.5'	Sun-Shade	Rich-Average, Well drained/ Moist Medium	Easy, even in poor soils. Spreads by seed - remove seed heads to prevent reseeding.	Butterflies, Hummingbirds, Bees
Phlox divaricata 'Blue Moon' Blue Moon Woodland Phlox	April- May	Clusters of light blue-purple fragrant flowers	1'-2'	Part Shade	Moist, Well-drained	Drought tolerant once established. Deer resistant.	Butterflies, Hummingbirds
[⊃] hlox paniculata 'Jeana' Garden Phlox	Jul-Sep	Lavender-pink clusters with sweet fragrant small flowers	2'-4'	Sun-Part Shade	Clay-poor/ Medium	USDA Zone 4-8. Deer tolerant.	Hummingbirds, Butterflies
Physostegia virginiana False Dragonhead	Aug-Sep	Spikes of bright pink tubular flowers.	2' - 3'	Sun-Part Shade	Average, Well drained/ Wet	Spreads & can be aggressive, divide or remove excess every few years.	Hummingbirds

					Medium		
Polemonium reptans Jacob's Ladder	Mar-May	Clusters of pale blue, 0.5" bells.	6" - 12"	Part Shade	Average, Well drained/ Wet Medium	Beautiful mounds of delicate foliage topped with clusters of small blue flowers - spreads to become a groundcover.	Bees, Butterflies
Podophyllum peltatum Mayapple	Apr-May	1"- 2" creamy white flower with yellow center.	1' - 2'	Part Shade-Shad e	Rich-Average, Acidic, Well-drained/ Wet-Medium	Woodland ground cover. The single fruit is edible but leaves are toxic if ingested.	Box turtles
Pycnanthemum muticum Clustered Mountain Mint	Jun-Sep	Clusters of small white feathery flowers that are not as showy as the surrounding silver, blue, grey bracts.	2' - 3'	Sun	Average, Well drained/ Wet Medium	Deer resistant. Fragrant blue - grey foliage which spreads to form large clumps.	Butterflies
Pycnanthemum tenuifolium Slender Mountain Mint	Jun-Aug	Small clusters of tiny white to pinkish flowers.	2' - 3'	Sun-Part Shade	Average, Well drained/ Dry Medium	Deer resistant. Strongly fragrant feathery foliage which spreads to form large clumps.	Butterflies

Pycnanthemum virginianum Virginia Mountain Mint	Jun-Sep	Small clusters of tiny white to pinkish flowers.	1' - 2'	Sun	Average Well Drained/ Wet Medium	Deer resistant. Strongly fragrant feathery foliage which spreads to form large clumps.	Butterflies
Ratibida pinnata Gray-headed Coneflower	Jun-Oct	Down drooping yellow petals with a protruding center disk	3'-5'	Sun	Well Drained/Dry Moist	When brushed, the central disk exudes an anise scent.	Butterflies
Rudbeckia fulgida var. fulgida Orange Coneflower	Jul-Oct	2"- 4" orange-gold daisy with dark brown, domed center.	2'-3'	Sun	Well-drained/ Average-Dry	Drought tolerant once established	Butterflies, Songbirds
Rudbeckia laciniata Green Coneflower	Jul-Sep	Large yellow daisy with domed green center.	2' - 6'	Sun-Shade	Average, Well drained/ Medium	Grows tall in sun, shorter in shade. Cut back halfway before buds form to get shorter, bushier plants. Spreads by seed.	Butterflies, Goldfinches
Rudbeckia maxima Great Rudbeckia	Jul-Aug	Large yellow daisies with long, 4" brown centers.	5' - 7'	Sun	Average, Well drained/ Medium Dry	Large, evergreen cabbage-like leaves. Drought tolerant. Dead-head for more blooms.	Songbirds, Butterflies
Rudbeckia subtomentosa Sweet Black-eyed Susan	Jul-Sep	Bright yellow ray flowers surround a dark cluster of disk flowers.	3'-6'	Part Shade	Average/Moist	Special interest for native bees.	Birds, Bees, Butterflies
Rudbeckia subtomentosa 'Henry Eilers' Sweet Black-Eyed Susan 'Henry Eilers'	June- Sept	Bright lemony-yellow flowers with a brown center. Petals are thin and resemble an asterisk.	4-5'	Full sun	Normal clay soil	An interesting tall nativar that is unique looking and brightly colored	Bees, Birds, Butterflies
Salvia lyrata Lyre-Leaved Sage	Apr-Jun	Whorls of 1" lavender-blue flowers on upright spikes.	1' - 2'	Sun-Part Shade	Average/ Moist-Wet	These subtle flowers are beautiful when massed in a meadow.	Bees, Butterflies, Birds

Sanguinaria canadensis Bloodroot	Jun-Sep	5" drooping spike of tiny white flowers.	1' - 5'	Sun-Part Shade	Average/ Wet	Fragrant flower, attractive heart-shaped foliage. Can be used around and in shallow ponds, in wet or mucky areas with clay.	waterfowl
Saururus cernuus Lizard's-tail	Jun-Sep	5" drooping spike of tiny white flowers.	1' - 5'	Sun-Part Shade	Average/ Wet	Fragrant flower, attractive heart-shaped foliage. Can be used around and in shallow ponds, in wet or mucky areas with clay.	Waterfowl
Sedum ternatum 'Larinem Park' 'Larinem Park' Stonecrop	May- June	Clusters of small, star-like, white flowers.	6"	Part Shade- Shade	Average	Mat-forming. Great for rock gardens or along edges. Easy to propagate.	Butterflies, bees
Silphium laciniatum Compass Plant	Jul-Sep	Yellow centered flower heads with yellow petals. Multiple heads bloom along the stem towards the plant top	8'	Sun-Part Sun	Rich/Moist	Leaves tend to orient on a North-South axis. Lon life expectancy given proper conditions	Birds, Bees, Goldfinches
Silphium perfoliatum Cup Plant	Jun-Aug	Tall clusters of large yellow daisies with yellow centers.	4' - 8'	Sun	Average/ Well drained	Big - needs space. Birds and butterflies will sip water from the cupped leaves. Spreads by seed.	Butterflies, Bees Goldfinches
Solidago odora Sweet Goldenrod	Aug-Oct	Long plumes of tiny fragrant golden flowers.	2' - 3'	Sun	Average-Poor/ Well-drained-Dry	Does NOT cause allergies. Interesting textured foliage. Drought tolerant.	Butterflies
Solidago rugosa Rough-Leaved Goldenrod	Aug-Oct	Long plumes of tiny fragrant golden flowers.	2' - 3'	Sun	Average-Poor/ Well drained-Dry	Does NOT cause allergies. Interesting textured foliage. Drought tolerant.	Butterflies, bees
Solidago sempervirens Seashore Goldenrod	Sep-Nov	Dense plumes of golden flowers top stalks.	2' - 4'	Sun	Average-Poor, Well drained/ Wet	Does NOT cause allergies. Salt tolerant. Evergreen.	Butterflies, Birds, Bees
Stokesia laevis Stoke's Aster	Jun-Aug	Striking, 3", frilly blue to lavender flowers.	6" - 12"	Sun-Part Shade	Average-Poor, Well drained/	Smooth pale-green leaves persist through winter.	Butterflies, Goldfinches
Symphyotrichum cordifolium Blue Wood Aster	Sep-Oct	Profuse .5" blue-lavender daisies with yellow centers.	3'	Part Shade Shade	Average-Poor, Well drained/ Medium dry	Great purple aster for the shade garden or woods edge.	Butterflies
Symphyotrichum laeve Smooth Blue Aster	Jul-Oct	Many 1" violet daisies with golden centers.	2' - 4'	Sun	Average, Well-drained/ Moist-Wet	Stake to prevent drooping. Cut back before buds form for bushier plants.	Butterflies

Symphyotrichum lateriflorum Calico Aster	Aug-Oct	Clusters of small white to pale purple ray flowers surrounding yellow or purple disk flowers	1' - 3'	Sun-Part Shade	Average- Poor,	Prefers partial shade unless in a moist area.	Butterflies, Bees
Symphyotrichum urophyllum Arrow-Leaved Aster	Aug-Oct	Large, showy clusters of 0.5" white-blue blossoms	3'	Sun-Part Shade	Dry, sandy/loam	Deer, rabbits and groundhogs will feed on the foliage.	Butterflies Pollinators
Thermopsis villosa Carolina Bushpea	May-Jun	Tall spikes of bright yellow pea-type blossoms (resemble lupines).	3' - 4'	Sun-Part Shade	Average-Poor	Showy vertical accent in perennial border. Drought tolerant. Taproot makes transplanting difficult.	Butterflies, Goldfinches

Tiarella cordifolia Foamflower	Apr-May	Spikes of tiny white star-flowers.	6" - 12"	Part Shade	Rich-Average	Good woodland ground cover. Appreciates mulch and fertilizer. Deadhead to prevent powdery mildew.	Hummingbirds, Bees, Butterflies
Tradescantia ohiensis Ohio Spiderwort	Apr-Jul	Clusters of 1"- 2" rose pink flowers; 3 petals with bright yellow anthers.	1' - 2'	Sun	Average/ Dry- moist	Smooth blue-green foliage. Spreads and multiplies by runners - divide every few years.	Butterflies, Bees
Trillium grandiflorum Great White Trillium	Apr-May	2" yellow, three-petalled flowers with lemon fragrance.	1' - 1.5'	Part Shade-Shad e	Rich, Well-drained/ Moist	Dies back in summer, reappearing in spring. Yellow flowers rare in trilliums; leaves mottled, olive & blue-green.	
Vernonia glauca Upland Ironweed	Aug-Sep	Large open clusters of bright violet-purple flowers.	3' - 7'	Sun	Average-Poor, Well-drained/ Wet	Cut back half way before buds form to get shorter, bushier plants. Self sows.	Butterflies
Veronicastrum virginicum Culver's Root	May-Jun	Rich violet with a conspicuous white throat. 1 to 1-1/2" wide.	5" - 10"	Part Shade	Average, Sandy, Peaty, Well-drained/ Dry-Medium	Low-growing, herbaceous perennial found within or at the edges of floodplains of freshwater rivers.	Butterflies
Zizia aurea Golden Alexander	May-Jun	Golden flowers like Queen Anne's lace.	1' - 3'	Sun-Part Shade	Average, Well drained/	Host plant for swallowtails. Best in naturalized meadows or open woodland. Good cut flowers. Host plant for black swallowtail.	Butterflies, Host plant
FERNS							
Adiantum pedatum Maidenhair Fern	NB	Non-blooming.	1' - 3 '	Part Shade Shade	Rich, Well Drained/ Moist	Burgundy red fiddleheads in spring can colonize well.	Amphibians
Athyrium filix-femina Lady Fern	NB	Non-blooming.	1 '- 3'	Sun-Part Shade	Rich, Well-drained/ Moist	Deciduous. Tolerates some dryness, and can tolerate full sun if kept consistently moist. Protect delicate fronds from strong wind.	Toads, salamanders, anoles
Dryopteris cristata Crested Woodfern	NB	Non-blooming.	1'-3'	Sun- Part Shade	Acidic, Moist Wet	Evergreen. Can tolerate less moisture	
Matteuccia struthiopteris Ostrich Fern	NB	Non-blooming.	3'-6'	Part Shade Shade	Average-Rich/ Moist Wet	Deciduous. Moist soil is key. Prefers cool places. Good to plant beside hostas and spring ephemerals.	Frogs, birds, salamanders
Osmunda cinnamomea Cinnamon Fern	Apr-May	Non-blooming. Erect, spore-bearing spikes in Apr-May are attractive; resemble cinnamon sticks.	2' - 5'	Sun-Shade	Average-Poor/ Moist Wet	Tolerates drought. Hummingbirds use frond-fuzz to line nests.	Frogs, Grouse, Hummingbirds
Osmunda claytoniana Interrupted Fern	NB	Non-blooming. Sterile fronds form vase shape around fertile fronds.	3'-6'	Shade	Acidic - Average/Moist	Fertile part of the frond is within the middle of the frond, leaving a gap or interruption once done.	Frogs
Osmunda regalis Royal Fern	Apr-Jun	Non-blooming. Large, attractive, spore bearing fronds in Apr-Jun.	2' - 6'	Sun-Shade	Average, Sandy/	Provides a great hiding spot for amphibians & small mammals.	Frogs, birds, salamanders

					Moist-Wet		
Polystichum acrostichoides Christmas Fern	NB	Non-blooming. Evergreen.	6" - 2'	Part Shade Shade	Rich-Average/ Moist Wet	Clump-forming. Easily grown in rock gardens, slopes, & shaded areas. Tolerates all soil types & some dryness.	Toads
Thelypteris palustris Marsh Fern	NB	Non-blooming	1'-2.5'	Sun-Part Shade	Moist-Dry	Host plant for marsh fern moth. Provides cover for small animals, frogs, birds, salamanders	Frogs, birds, salamanders

GRASSES/RUSHES/SEDGES									
Eragrostis spectabilis Purple Love Grass	Jun-Aug	Light green foliage in summer turning to a bronzy-red in fall	18-24"	Sun	Average-dry, salt tolerant	A moderately small grass that grows slowly. Beautiful foliage and a good choice for dry areas. Can be used as a groundcover.	Deer Resistant		
VINES									
Clematis virginiana Virgin's Bower	Aug-Sep	Profusion of 1" cream-colored flowers in fall.	20'	Sun-Part Shade	Average, Well drained/ Wet	Skin contact with foliage causes short-lived bumpy rash in some people.	Birds, Bees Butterflies		
Clematis crispa Blue Jasmine	Mar-Sep	Blue to purple bell shaped flowers with curled tips	6'-12'	Sun-Part Shade	All soils/Moist to wet	Long bloom time and interesting flowers make this a wonderful addition to gardens	Birds, Bees Butterflies		
Lonicera sempervirens Coral Honeysuckle	Apr-Jun	Semi-evergreen vine with terminal clusters of red, yellow throated tubular flowers.	20'	Sun-Part Shade	Average/ Medium Moist	Drought tolerant. Deer resistant. Blooms new growth from second year wood.	Hummingbirds Songbirds		

SHRUBS

			-				
Aronia melanocarpa Black Chokeberry	Apr-May Sep-Nov	Clusters of fragrant white blooms with bright pink stamens.	6'	Sun-Part Shade	Rich-Poor/ Dry-Wet	Crimson red fall color; red berries.	Bees, Birds, Butterflies
Baccharis halimifolia Groundsel Tree	Aug-Oct	Small cream white flowers turn to feathery white tufts that turn the shrub silvery.	15'	Sun	Rich-poor/ Moist Wet	Semi-evergreen. Drought, heat, and salt tolerant. Naturally occurs in wetlands, and makes a good border to naturalized areas.	Waterfowl, songbirds
Cephalanthus occidentalis Buttonbush	Jun-Aug	1" spherical clusters of white flowers hang from branch tips.	6'	Sun-Part Shade	Average-Poor/ Wet	Commonly found along stream and pond banks. Excellent for butterflies.	Butterflies
Cornus alternifolia Alternate Leaf Dogwood	May-Jun	Fragrant, creamy white clusters of small flowers in late spring and early summer.	15'-25'	Sun-Part Shade	Acidic. Rich loamy, moist and well-drained	Does not tolerate salt and is susceptible to sunscald. Blue-black fruits appear from July to Aug. Has a shallow root system.	Butterflies Small Mammals Birds Pollinators
Cornus amomum	May-Jun	Flat clusters of small white flowers,	10'	Sun-Shade	Average-Poor,	Large spreading shrub usually grows in moist	Butterflies,

Silky Dogwood		dark blue fruit in fall			Well drained/ Wet	areas, fruit favored by wildlife.	Songbird
Cornus racemosa Grey Dogwood	Apr-May Aug-Sep	Flat cluster of small white flowers, white fruit in fall.	8'	Sun-Shade	Average-Poor/ Wet Dry	Multi-stemmed spreading shrub, young twigs red, white berries on red stems, maroon fall foliage.	Butterflies, Songbirds

May-Jun	Flat clusters of small, white flowers; pale blue fruit in fall	10'	Sun-Part Shade	Average/ Moist	Vigorous, bright red shoots add interest in the winter. Stoloniferous habit, good for soil stabilization.	Butterflies, Songbirds
Apr-May Jul-Sep	Inconspicuous flowers give rise to medium size sweet brown fruit.	20'	Sun	Average, Well-drained/ Medium - Moist	Edible fruit!!!	
Oct-Dec	Fragrant spidery yellow flowers open as leaves drop in the fall	10'	Part Sun-Shad e	Rich-Average/ Well-drained, Medium-Dry	Yellow fall foliage	Bees, Small pollinators
Sep-Jan	Tiny white flowers, showy red fruit in fall & winter on female plants.	10'	Sun-Part Shade	Average, Well drained/ Wet	Deciduous holly. DIOECIOUS	Birds, robins/waxwings
Mar-Apr	Tiny yellow-green flowers before leaves, shiny red fruit on female plants.	6'	Part Shade Shade	Average, Well drained/ Wet	Spicy scented leaves. Male & female plants – need both to get shiny red berries.	Swallowtail host plant
May-Jun	Conspicuous white clusters, fragrant	6-12"	Part Shade	Moist-Wet	Purple berries are inedible when fresh and raw but are used for making jelly, pies, and wine perseveres, pies, wine	Birds
May Sep-Dec	Small white flowers in 4"-5" flat clusters give rise to blue-black fruits.	14' -16'	Sun-Part Shade	Average Well-drained/ Medium	Variable fall color from greenish yellow to reddish purple.	Songbirds, Small mammals
Mar-Apr	Flat clusters of small, cream-colored flowers, blue-black fruits.	12' -15'	Sun-Part Shade	Average, Well-drained/ Dry-Medium	Flowers have an acrid smell and decaying leaves may be malodorous – better for wood edges than close to house. Red-maroon fall foliage.	Birds, Butterflies, Small Mammals
Mar-Apr	Flat clusters of small, cream-colored flowers, blue-black fruits.	12' -15'	Sun-Part Shade	Average, Well drained/ Dry Medium	Flowers have an acrid smell and decaying leaves may be malodorous – better for wood edges than close to the house. Red-maroon fall foliage.	Birds, Butterflies, Small Mammals
May-Jul	Flat clusters of white flowers followed by red - orange berries.	6'-12'	Part Shade	Moist/Average/ Well Drained	Flood, disease, and insect tolerant. Host to spring azure.	Birds, Butterflies, Small mammals
	Apr-May Jul-Sep Oct-Dec Sep-Jan Mar-Apr May-Jun May Sep-Dec Mar-Apr Mar-Apr Mar-Apr Mar-Apr Mar-Apr	Apr-May Jul-SepInconspicuous flowers give rise to medium size sweet brown fruit.Oct-DecFragrant spidery yellow flowers open as leaves drop in the fallSep-JanTiny white flowers, showy red fruit in fall & winter on female plants.Mar-AprTiny yellow-green flowers before leaves, shiny red fruit on female plants.May-JunConspicuous white clusters, fragrantMay Sep-DecSmall white flowers in 4"-5" flat clusters give rise to blue-black fruits.Mar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.Mar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.May-JulFlat clusters of small, cream-colored flowers, blue-black fruits.May-JulFlat clusters of small, cream-colored flowers, blue-black fruits.May-JulFlat clusters of small, cream-colored flowers, blue-black fruits.	May JunFlowers; pale blue fruit in fallApr-May Jul-SepInconspicuous flowers give rise to medium size sweet brown fruit.20'Oct-DecFragrant spidery yellow flowers open as leaves drop in the fall10'Sep-JanTiny white flowers, showy red fruit in fall & winter on female plants.10'Mar-AprTiny yellow-green flowers before leaves, shiny red fruit on female plants.6'May-JunConspicuous white clusters, fragrant6-12"May Sep-DecSmall white flowers in 4"-5" flat clusters give rise to blue-black fruits.14' -16'Mar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.12' -15'Mar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.12' -15'May-JulFlat clusters of small, cream-colored flowers, blue-black fruits.12' -15'May-JulFlat clusters of small, cream-colored flowers, blue-black fruits.12' -15'	Indy Sumflowers; pale blue fruit in fallShadeApr-May Jul-SepInconspicuous flowers give rise to medium size sweet brown fruit.20'SunOct-DecFragrant spidery yellow flowers open as leaves drop in the fall10'Part Sun-Shad eSep-JanTiny white flowers, showy red fruit in fall & winter on female plants.10'Sun-Part ShadeMar-AprTiny yellow-green flowers before leaves, shiny red fruit on female plants.6'Part ShadeMay-JunConspicuous white clusters, fragrant6-12"Part ShadeMay Sep-DecSmall white flowers in 4"-5" flat clusters give rise to blue-black fruits.14' -16'Sun-Part ShadeMar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.12' -15'Sun-Part ShadeMar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.12' -15'Sun-Part ShadeMar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.12' -15'Sun-Part ShadeMay-JulFlat clusters of small, cream-colored flowers, blue-black fruits.12' -15'Sun-Part ShadeMay-JulFlat clusters of small, cream-colored flowers, blue-black fruits.6'-12'Part Shade	Apr-May Jul-SepInconspicuous flowers give rise to medium size sweet brown fruit.ShadeAverage, Well-drained/ Medium - MoistOct-DecFragrant spidery yellow flowers open as leaves drop in the fail10'Part Sun-Shad eRich-Average/ Well-drained, Medium-DrySep-JanTiny white flowers, showy red fruit in fall & winter on female plants.10'Sun-Part ShadeAverage, Well drained, WetMar-AprTiny yellow-green flowers before leaves, shiny red fruit on female plants.6'Part ShadeAverage, Well drained/ WetMay-JunConspicuous white clusters, fragrant6-12"Part ShadeAverage Well-drained/ MetiumMay-AprFlat clusters of small, cream-colored flowers, blue-black fruits.12'-15'Sun-Part ShadeAverage, Well-drained/ MediumMar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.12'-15'Sun-Part ShadeAverage, Well-drained/ Dry-MediumMar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.12'-15'Sun-Part ShadeAverage, Well-drained/ Dry-MediumMar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.12'-15'Sun-Part ShadeAverage, Well-drained/ Dry-MediumMar-AprFlat clusters of small, cream-colored flowers, blue-black fruits.12'-15'Sun-Part ShadeAverage, Well drained/ Dry MediumMar-AprFlat clusters of white flowers followed by red - orange6'-12'Part Shade <td>Incorspicuous flowers; pale blue fruit in fall Shade winter. Stoloniferous habit, good for soil stabilization. Apr-May Jul-Sep Inconspicuous flowers give rise to medium size sweet brown fruit. 20' Sun Average, Well-drained/ Medium - Moist Oct-Dec Fragrant spidery yellow flowers open as leaves drop in the fall 10' Part Sun-Shad e Rich-Average/Well drained/ Medium - Dry Yellow fall foliage Sep-Jan Tiny white flowers, showy red fruit in fall & winter on female plants. 10' Sun-Part Shade Average, Well drained/ Wet Deciduous holly. DIOECIOUS Mar-Apr Tiny yellow-green flowers before leaves, shiny red fruit on female plants. 6' Part Shade Average, Well drained/ Wet Spicy scented leaves. Male & female plants - need both to get shiny red berries. May-Jun Conspicuous white clusters, fragrant 6-12" Part Shade Moist-Wet Purple berries are inedible when fresh and raw but are used for making jelly, pies, and wine perseverse, pies, wine elaves for making jelly, pies, and when perseverse, pies, wine May Small white flowers in 4'-5' flat clusters of small, cream-colored flowers, blue-black fruits. 12' -15' Sun-Part Shade Average, Well drained/ Wet Graverse, blue-black fruits. 12' -15' Mar-Apr Flat clusters of small, cream-colored flowers, blue-black fruits. 14' -16' <</td>	Incorspicuous flowers; pale blue fruit in fall Shade winter. Stoloniferous habit, good for soil stabilization. Apr-May Jul-Sep Inconspicuous flowers give rise to medium size sweet brown fruit. 20' Sun Average, Well-drained/ Medium - Moist Oct-Dec Fragrant spidery yellow flowers open as leaves drop in the fall 10' Part Sun-Shad e Rich-Average/Well drained/ Medium - Dry Yellow fall foliage Sep-Jan Tiny white flowers, showy red fruit in fall & winter on female plants. 10' Sun-Part Shade Average, Well drained/ Wet Deciduous holly. DIOECIOUS Mar-Apr Tiny yellow-green flowers before leaves, shiny red fruit on female plants. 6' Part Shade Average, Well drained/ Wet Spicy scented leaves. Male & female plants - need both to get shiny red berries. May-Jun Conspicuous white clusters, fragrant 6-12" Part Shade Moist-Wet Purple berries are inedible when fresh and raw but are used for making jelly, pies, and wine perseverse, pies, wine elaves for making jelly, pies, and when perseverse, pies, wine May Small white flowers in 4'-5' flat clusters of small, cream-colored flowers, blue-black fruits. 12' -15' Sun-Part Shade Average, Well drained/ Wet Graverse, blue-black fruits. 12' -15' Mar-Apr Flat clusters of small, cream-colored flowers, blue-black fruits. 14' -16' <

Acer rubrum Red Maple	Feb-Apr	Clusters of inconspicuous red flowers followed by winged red fruits ("helicopters").	100'	Sun-Part Shade	Average/ Medium-Wet	Grows quickly. One of the first plants to show fall color, which ranges from red to orange to yellow.	Deer
Acer saccharum Sugar Maple	Apr-Jun	Green-yellow drooping panicles in clusters up to 3" long	40'-120'	Sun-Part Shade	Moist, Well-Drained	Good shade trees and is tapped to make maple syrup. Gold/Yellow, orange, red fall color.	Butterflies Birds Small Mammals
Aesculus pavia Red Buckeye	Mar-May	6"-10" spikes of bright red flowers atop medium textured foliage.	12'-36'	Part Shade	Average, Well drained/ Medium	Rich yellow fall color.	Butterflies, Hummingbirds

Asimina triloba Pawpaw	Apr-Jun Aug-Sep	Distinctive rich, purplish-brown flowers 1-1.5" wide bloom before leaves.	40'	Sun-Shade	Rich-Poor Well drained/ Medium	Largest edible fruit native to the US; looks and tastes like a short banana. Suckering habit. Protect from high winds and drought. Needs shade until 3+ years old.	Host plant Zebra Swallowtail
Betula nigra River Birch	Apr-May	Green male catkins and reddish-green female catkins are inconspicuous.	70'	Sun-Part Shade	Average-Poor/ Wet-Medium	Grown for its yellow fall color and attractive peeling bark that sheds horizontally to reveal orange-brown and creamy colors.	Deer, Songbirds
Calycanthus floridus Sweetshrub	Apr-Jun	1" papery maroon flowers with fruity/spicy scent	6'	Part Sun-Shade	Average	Spreads by runners. Flower scent varies – melon, pineapple, juicy-fruit or no-scent.	Beetles, Bees, Hummingbirds
Carpinus caroliniana Musclewood	May-Jun	Catkins in spring.	20'-40'	Sun-Part Shade	Well-drained	Use as a shade tree. Bark on mature trees is rough textures with loose scaly plates.	Pollinators Songbirds Small Mammals
Cercis canadensis Redbud	Apr-May	Very showy clusters of purple-pink flowers appear all over the tree in early spring.	25'	Sun-Part Shade	Average	Showy small tree. Nitrogen fixer. Yellow fall color. Shade tolerant.	Butterflies, Songbirds
Chionanthus virginicus Fringe Tree	Apr-May	Clusters of delicate, fragrant white flowers look like shredded coconut	20'	Sun-Part Shade	Well Drained/ Medium	Will begin to bloom when 3' tall. Male trees flower heavier than female. Females produce blue olive-like fruits	Songbirds, Mammals
Cornus florida Flowering Dogwood	Apr-May	Large, creamy-white bracts with green centers bloom before foliage.	30'	Part Shade	Average	Beautiful small, stand-alone tree. Leaves turn red and purple in the fall. Scarlet berries often persist into winter.	Songbirds, Small Mammals
Crataegus phaenopyrum Washington Hawthorn	Apr-Jun Aug-Oct	Flowers inconspicuous	40' - 60'	Sun-Part Shade	Average/ Drought Tolerant	Nectar source and host plant for Luna moth. Produces fruit when 7-8 years old. DIOECIOUS .	Songbirds, Mammals, Moth
Diospyros virginiana Persimmon	Apr-Jun Aug-Oct	Subtle white-yellow upside down bell-shaped flower	40' - 60'	Sun-Part Shade	Average/ Drought Tolerant	Nectar source and host plant for Luna moth. Produces edible fruit when 7-8 years old.	Songbirds, Mammals, Moth

Magnolia macrophylla Bigleaf Magnolia	May-Jun	Creamy white 8-14" flowers, solitary and fragrant bearing egg shaped rose colored fruit	30'-72'	Part Shade	Rich-acidic	Largest leaves and flowers of all native VA species!	Songbirds
Nyssa sylvatica Black Gum	June-July	White strands of flowers resembling lily-of-the-valley flowers.	40'	Sun-Part Shade	Well-drained/ Moist	Rich maroon, scarlet or plum fall color. Source of "sourwood honey".	Bees
Styrax americanus American Snowbell	Apr-May	Showy, white bell-like blooms w/large yellow anthers.	15'	Sun-Part Shade	Rich-Average/ Moist-Wet	Use as a specimen planting, along stream edges, to naturalize woodlands.	Songbirds